





4-Port USB KVM Switch Kit

TK-407K (v1.3R)

The 4-Port USB KVM Switch Kit lets you manage four PCs with just one set of keyboard, monitor, and mouse. Switch between 4 PCs with a simple press of a button! Separate sets of KVM cables are included with the KVM Switch, so users can start controlling 4 PCs instantly. The KVM cables also provide power to the KVM Switch, eliminating the need for a power adapter. Hot Key operations provide immediate access to features such as computer switching, and auto-scanning. With its Hot-Plug, and Audible Feedback, the 4-Port USB KVM Switch is the perfect choice for managing multiple PCs.

PRODUCT OVERVIEW

- · 4-Port KVM switch with VGA and USB connections to computers
- · Device monitoring with Auto-Scan and audible feedback
- High quality 2048 x 1536 resolution for a crisp display
- · Supports most operating systems and advanced mouse designs
- · All required cabling included

FEATURES

- Control up to 4 computers / servers with one set of console devices
- USB keyboard / mouse emulation with 4 sets of detachable KVM cables
- · Compliant with Windows, Linux, and Mac OS
- · High video quality, up to 2048 x 1536 VGA resolution
- · Auto-Scan and LED display for computer monitoring
- · Keyboard status restored when switching between computers
- · Computer selection by front panel push buttons, keyboard hot key commands or Windows-based client switching software*
- User definable hot key (Windows only)
- · Plug & Play and hot-pluggable
- · USB interface power method
- · 2-year limited warranty
- * Please go to http://www.trendnet.com/downloads to download the client switching software

4-Port USB KVM Switch Kit





SPECIFICATIONS


HARDWARE		
Connections	• 4 computers	
USB Interface	USB 1.1 compliant	
KVM Cable	2 sets of 1.2m (4ft.) USB KVM cables2 sets of 1.8m (6ft.) USB KVM cables	
Cable Interface (all male)	To KVM	To Computer
	• 1 x VGA / SVGA HDB 15-pin	1 x USB (Type A)1 x VGA / SVGA HDB 15-Pin
PC Port Connectors	4 x VGA / SVGA HDB 15-pin (female)	
Console Port Connectors	2 x USB keyboard / mouse (type A) 1 x VGA / SVGA 15-pin HDB (female)	
Computer Selection	Face panel push buttons, keyboard hot key commands or Windows-based client switching software*	
Supported OS	Windows, Linux and Mac.	
Auto-Scan Interval	• 10 seconds	
Keyboard Status	Save and restore	
Power Type	USB interface power	
Dimensions	• 167 x 80 x 28 mm (6.6 x 3.2x 1.1 in.)	
Weight	• 159 g (5.6 oz.)	
Temperature	 Operating: 0°C ~ 40°C (32°F ~104°F) Storage: -20°C ~ 60°C (-4°F ~140°F) 	
Humidity	Max 90% (non-condensing)	
Certifications	• CE, FCC	

4-Port USB KVM Switch Kit

TK-407K (v1.3R)



NETWORKING SOLUTIONS



PACKAGE CONTENTS

TK-407	
Quick Installation Guide	
4 sets of USB KVM Cables (2 x 1.2 m / 4 ft., 2 x 1.8 m / 6 ft.)	

RELATED PRODUCTS

TK-207K	2-Port USB KVM Switch Kit
TK-408K	4-Port PS/2 KVM Switch Kit with Audio
TK-409K	4-Port USB KVM Switch Kit with Audio

CONTACT INFORMATION

TRENDNET

20675 Manhattan Place, Torrance, CA 90501 USA

Tel: 1-310-961-5500 Fax: 1-310-961-5511 Web: www.trendnet.com Email: sales@trendnet.com

1-888-326-6061

